

3.1.3. MULTIZONE COMBINATION SELECTION

Type								Pentad	
Model Name								RAM-110NP5E	
Product Image									
Combination							Total		
ONE UNIT	1.5						1.5		
	1.8						1.8		
	2.5						2.5		
	4.2						4.2		
	3.5						3.5		
	5.0						5.0		
	6.0						6.0		
TWO UNITS	1.5	1.5					3.0	★	
	1.5	1.8					3.3	★	
	1.5	2.5					4.0	★	
	1.5	3.5					5.0	★	
	1.5	4.2					5.7	★	
	1.5	5.0					6.5	★	
	1.5	6.0					7.5	★	
	1.8	1.8					3.6	★	
	1.8	2.5					4.3	★	
	1.8	3.5					5.3	★	
	1.8	4.2					6.0	★	
	1.8	5.0					6.8	★	
	1.8	6.0					7.8	★	
	2.5	2.5					5.0	★	
	2.5	3.5					6.0	★	
	2.5	4.2					6.7	★	
	2.5	5.0					7.5	★	
	2.5	6.0					8.5	★	
	3.5	3.5					7.0	★	
	3.5	4.2					7.7	★	
	3.5	5.0					8.5	★	
	3.5	6.0					9.5	★	
	4.2	4.2					8.4	★	
	4.2	5.0					9.2	★	
	4.2	6.0					10.2	★	
	5.0	5.0					10.0	★	
	5.0	6.0					11.0	★	
	6.0	6.0					12.0	★	

Type							Pentad	
Model Name							RAM-110NP5E	
Product Image								
Combination						Total		
THREE UNITS	1.5	1.5	1.5			4.5	★	
	1.5	1.5	1.8			4.8	★	
	1.5	1.5	2.5			5.5	★	
	1.5	1.5	3.5			6.5	★	
	1.5	1.5	4.2			7.2	★	
	1.5	1.5	5.0			8.0	★	
	1.5	1.5	6.0			9.0	★	
	1.5	1.8	1.8			5.1	★	
	1.5	1.8	2.5			5.8	★	
	1.5	1.8	3.5			6.8	★	
	1.5	1.8	4.2			7.5	★	
	1.5	1.8	5.0			8.3	★	
	1.5	1.8	6.0			9.3	★	
	1.5	2.5	2.5			6.5	★	
	1.5	2.5	3.5			7.5	★	
	1.5	2.5	4.2			8.2	★	
	1.5	2.5	5.0			9.0	★	
	1.5	2.5	6.0			10.0	★	
	1.5	3.5	3.5			8.5	★	
	1.5	3.5	4.2			9.2	★	
	1.5	3.5	5.0			10.0	★	
	1.5	3.5	6.0			11.0	★	
	1.5	4.2	4.2			9.9	★	
	1.5	4.2	5.0			10.7	★	
	1.5	4.2	6.0			11.7	★	
	1.5	5.0	5.0			11.5	★	
	1.5	5.0	6.0			12.5	★	
	1.5	6.0	6.0			13.5	★	
	1.8	1.8	1.8			5.4	★	
	1.8	1.8	2.5			6.1	★	
	1.8	1.8	3.5			7.1	★	
	1.8	1.8	4.2			7.8	★	
	1.8	1.8	5.0			8.6	★	
	1.8	1.8	6.0			9.6	★	
	1.8	2.5	2.5			6.8	★	
	1.8	2.5	3.5			7.8	★	
	1.8	2.5	4.2			8.5	★	
	1.8	2.5	5.0			9.3	★	
	1.8	2.5	6.0			10.3	★	
	1.8	3.5	3.5			8.8	★	
	1.8	3.5	4.2			9.5	★	
	1.8	3.5	5.0			10.3	★	
	1.8	3.5	6.0			11.3	★	

1.8	4.2	4.2				10.2	★
1.8	4.2	5.0				11.0	★
1.8	4.2	6.0				12.0	★
1.8	5.0	5.0				11.8	★
1.8	5.0	6.0				12.8	★
1.8	6.0	6.0				13.8	★
2.5	2.5	2.5				7.5	★
2.5	2.5	3.5				8.5	★
2.5	2.5	4.2				9.2	★
2.5	2.5	5.0				10.0	★
2.5	2.5	6.0				11.0	★
2.5	3.5	3.5				9.5	★
2.5	3.5	4.2				10.2	★
2.5	3.5	5.0				11.0	★
2.5	3.5	6.0				12.0	★
2.5	4.2	4.2				10.9	★
2.5	4.2	5.0				11.7	★
2.5	4.2	6.0				12.7	★
2.5	5.0	5.0				12.5	★
2.5	5.0	6.0				13.5	★
2.5	6.0	6.0				14.5	★
3.5	3.5	3.5				10.5	★
3.5	3.5	4.2				11.2	★
3.5	3.5	5.0				12.0	★
3.5	3.5	6.0				13.0	★
3.5	4.2	4.2				11.9	★
3.5	4.2	5.0				12.7	★
3.5	4.2	6.0				13.7	★
3.5	5.0	5.0				13.5	★
3.5	5.0	6.0				14.5	★
3.5	6.0	6.0				15.5	★
4.2	4.2	4.2				12.6	★
4.2	4.2	5.0				13.4	★
4.2	4.2	6.0				14.4	★
4.2	5.0	5.0				14.2	★
4.2	5.0	6.0				15.2	★
5.0	5.0	5.0				15.0	★
5.0	5.0	6.0				16.0	★

Type							Pentad	
Model Name							RAM-110NP5E	
Product Image								
Combination						Total		
FOUR UNITS	1.5	1.5	1.5	1.5		6.0	★	
	1.5	1.5	1.5	1.8		6.3	★	
	1.5	1.5	1.5	2.5		7.0	★	
	1.5	1.5	1.5	3.5		8.0	★	
	1.5	1.5	1.5	4.2		8.7	★	
	1.5	1.5	1.5	5.0		9.5	★	
	1.5	1.5	1.5	6.0		10.5	★	
	1.5	1.5	1.8	1.8		6.6	★	
	1.5	1.5	1.8	2.5		7.3	★	
	1.5	1.5	1.8	3.5		8.3	★	
	1.5	1.5	1.8	4.2		9.0	★	
	1.5	1.5	1.8	5.0		9.8	★	
	1.5	1.5	1.8	6.0		10.8	★	
	1.5	1.5	2.5	2.5		8.0	★	
	1.5	1.5	2.5	3.5		9.0	★	
	1.5	1.5	2.5	4.2		9.7	★	
	1.5	1.5	2.5	5.0		10.5	★	
	1.5	1.5	2.5	6.0		11.5	★	
	1.5	1.5	3.5	3.5		10.0	★	
	1.5	1.5	3.5	4.2		10.7	★	
	1.5	1.5	3.5	5.0		11.5	★	
	1.5	1.5	3.5	6.0		12.5	★	
	1.5	1.5	4.2	4.2		11.4	★	
	1.5	1.5	4.2	5.0		12.2	★	
	1.5	1.5	4.2	6.0		13.2	★	
	1.5	1.5	5.0	5.0		13.0	★	
	1.5	1.5	5.0	6.0		14.0	★	
	1.5	1.5	6.0	6.0		15.0	★	
	1.5	1.8	1.8	1.8		6.9	★	
	1.5	1.8	1.8	2.5		7.6	★	
	1.5	1.8	1.8	3.5		8.6	★	
	1.5	1.8	1.8	4.2		9.3	★	
	1.5	1.8	1.8	5.0		10.1	★	
	1.5	1.8	1.8	6.0		11.1	★	
	1.5	1.8	2.5	2.5		8.3	★	
	1.5	1.8	2.5	3.5		9.3	★	
	1.5	1.8	2.5	4.2		10.0	★	
	1.5	1.8	2.5	5.0		10.8	★	
	1.5	1.8	2.5	6.0		11.8	★	
	1.5	1.8	3.5	3.5		10.3	★	
	1.5	1.8	3.5	4.2		11.0	★	
	1.5	1.8	3.5	5.0		11.8	★	
	1.5	1.8	3.5	6.0		12.8	★	

1.5	1.8	4.2	4.2		11.7	★
1.5	1.8	4.2	5.0		12.5	★
1.5	1.8	4.2	6.0		13.5	★
1.5	1.8	5.0	5.0		13.3	★
1.5	1.8	5.0	6.0		14.3	★
1.5	1.8	6.0	6.0		15.3	★
1.5	2.5	2.5	2.5		9.0	★
1.5	2.5	2.5	3.5		10.0	★
1.5	2.5	2.5	4.2		10.7	★
1.5	2.5	2.5	5.0		11.5	★
1.5	2.5	2.5	6.0		12.5	★
1.5	2.5	3.5	3.5		11.0	★
1.5	2.5	3.5	4.2		11.7	★
1.5	2.5	3.5	5.0		12.5	★
1.5	2.5	3.5	6.0		13.5	★
1.5	2.5	4.2	4.2		12.4	★
1.5	2.5	4.2	5.0		13.2	★
1.5	2.5	4.2	6.0		14.2	★
1.5	2.5	5.0	5.0		14.0	★
1.5	2.5	5.0	6.0		15.0	★
1.5	3.5	3.5	3.5		12.0	★
1.5	3.5	3.5	4.2		12.7	★
1.5	3.5	3.5	5.0		13.5	★
1.5	3.5	3.5	6.0		14.5	★
1.5	3.5	4.2	4.2		13.4	★
1.5	3.5	4.2	5.0		14.2	★
1.5	3.5	4.2	6.0		15.2	★
1.5	3.5	5.0	5.0		15.0	★
1.5	3.5	5.0	6.0		16.0	★
1.5	4.2	4.2	4.2		14.1	★
1.5	4.2	4.2	5.0		14.9	★
1.5	4.2	4.2	6.0		15.9	★
1.5	4.2	5.0	5.0		15.7	★
1.8	1.8	1.8	1.8		7.2	★
1.8	1.8	1.8	2.5		7.9	★
1.8	1.8	1.8	3.5		8.9	★
1.8	1.8	1.8	4.2		9.6	★
1.8	1.8	1.8	5.0		10.4	★
1.8	1.8	1.8	6.0		11.4	★
1.8	1.8	2.5	2.5		8.6	★
1.8	1.8	2.5	3.5		9.6	★
1.8	1.8	2.5	4.2		10.3	★
1.8	1.8	2.5	5.0		11.1	★
1.8	1.8	2.5	6.0		12.1	★
1.8	1.8	3.5	3.5		10.6	★
1.8	1.8	3.5	4.2		11.3	★
1.8	1.8	3.5	5.0		12.1	★
1.8	1.8	3.5	6.0		13.1	★
1.8	1.8	4.2	4.2		12.0	★
1.8	1.8	4.2	5.0		12.8	★
1.8	1.8	4.2	6.0		13.8	★
1.8	1.8	5.0	5.0		13.6	★
1.8	1.8	5.0	6.0		14.6	★
1.8	1.8	6.0	6.0		15.6	★

1.8	2.5	2.5	2.5		9.3	★
1.8	2.5	2.5	3.5		10.3	★
1.8	2.5	2.5	4.2		11.0	★
1.8	2.5	2.5	5.0		11.8	★
1.8	2.5	2.5	6.0		12.8	★
1.8	2.5	3.5	3.5		11.3	★
1.8	2.5	3.5	4.2		12.0	★
1.8	2.5	3.5	5.0		12.8	★
1.8	2.5	3.5	6.0		13.8	★
1.8	2.5	4.2	4.2		12.7	★
1.8	2.5	4.2	5.0		13.5	★
1.8	2.5	4.2	6.0		14.5	★
1.8	2.5	5.0	5.0		14.3	★
1.8	2.5	5.0	6.0		15.3	★
1.8	2.5	6.0	6.0		16.3	★
1.8	3.5	3.5	3.5		12.3	★
1.8	3.5	3.5	4.2		13.0	★
1.8	3.5	3.5	5.0		13.8	★
1.8	3.5	3.5	6.0		14.8	★
1.8	3.5	4.2	4.2		13.7	★
1.8	3.5	4.2	5.0		14.5	★
1.8	3.5	4.2	6.0		15.5	★
1.8	3.5	5.0	5.0		15.3	★
1.8	3.5	5.0	6.0		16.3	★
1.8	4.2	4.2	4.2		14.4	★
1.8	4.2	4.2	5.0		15.2	★
1.8	4.2	4.2	6.0		16.2	★
1.8	4.2	5.0	5.0		16.0	★
2.5	2.5	2.5	2.5		10.0	★
2.5	2.5	2.5	3.5		11.0	★
2.5	2.5	2.5	4.2		11.7	★
2.5	2.5	2.5	5.0		12.5	★
2.5	2.5	2.5	6.0		13.5	★
2.5	2.5	3.5	3.5		12.0	★
2.5	2.5	3.5	4.2		12.7	★
2.5	2.5	3.5	5.0		13.5	★
2.5	2.5	3.5	6.0		14.5	★
2.5	2.5	4.2	4.2		13.4	★
2.5	2.5	4.2	5.0		14.2	★
2.5	2.5	4.2	6.0		15.2	★
2.5	2.5	5.0	5.0		15.0	★
2.5	2.5	5.0	6.0		16.0	★
2.5	3.5	3.5	3.5		13.0	★
2.5	3.5	3.5	4.2		13.7	★
2.5	3.5	3.5	5.0		14.5	★
2.5	3.5	3.5	6.0		15.5	★
2.5	3.5	4.2	4.2		14.4	★
2.5	3.5	4.2	5.0		15.2	★
2.5	3.5	4.2	6.0		16.2	★
2.5	3.5	5.0	5.0		16.0	★
3.5	3.5	3.5	3.5		14.0	★
3.5	3.5	3.5	4.2		14.7	★
3.5	3.5	3.5	5.0		15.5	★
3.5	3.5	4.2	4.2		15.4	★
3.5	3.5	3.5	6.0		16.5	★
3.5	3.5	4.2	5.0		16.2	★

Type							Pentad	
Model Name							RAM-110NP5E	
Product Image								
Combination						Total		
FIVE UNITS	1.5	1.5	1.5	1.5	1.5	7.5	★	
	1.5	1.5	1.5	1.5	1.8	7.8	★	
	1.5	1.5	1.5	1.5	2.5	8.5	★	
	1.5	1.5	1.5	1.5	3.5	9.5	★	
	1.5	1.5	1.5	1.5	4.2	10.2	★	
	1.5	1.5	1.5	1.5	5.0	11.0	★	
	1.5	1.5	1.5	1.5	6.0	12.0	★	
	1.5	1.5	1.5	1.8	1.8	8.1	★	
	1.5	1.5	1.5	1.8	2.5	8.8	★	
	1.5	1.5	1.5	1.8	3.5	9.8	★	
	1.5	1.5	1.5	1.8	4.2	10.5	★	
	1.5	1.5	1.5	1.8	5.0	11.3	★	
	1.5	1.5	1.5	1.8	6.0	12.3	★	
	1.5	1.5	1.5	2.5	2.5	9.5	★	
	1.5	1.5	1.5	2.5	3.5	10.5	★	
	1.5	1.5	1.5	2.5	4.2	11.2	★	
	1.5	1.5	1.5	2.5	5.0	12.0	★	
	1.5	1.5	1.5	2.5	6.0	13.0	★	
	1.5	1.5	1.5	3.5	3.5	11.5	★	
	1.5	1.5	1.5	3.5	4.2	12.2	★	
	1.5	1.5	1.5	3.5	5.0	13.0	★	
	1.5	1.5	1.5	3.5	6.0	14.0	★	
	1.5	1.5	1.5	4.2	4.2	12.9	★	
	1.5	1.5	1.5	4.2	5.0	13.7	★	
	1.5	1.5	1.5	4.2	6.0	14.7	★	
	1.5	1.5	1.5	5.0	5.0	14.5	★	
	1.5	1.5	1.5	5.0	6.0	15.5	★	
	1.5	1.5	1.8	1.8	1.8	8.4	★	
	1.5	1.5	1.8	1.8	2.5	9.1	★	
	1.5	1.5	1.8	1.8	3.5	10.1	★	
	1.5	1.5	1.8	1.8	4.2	10.8	★	
	1.5	1.5	1.8	1.8	5.0	11.6	★	
	1.5	1.5	1.8	1.8	6.0	12.6	★	
	1.5	1.5	1.8	2.5	2.5	9.8	★	
	1.5	1.5	1.8	2.5	3.5	10.8	★	
	1.5	1.5	1.8	2.5	4.2	11.5	★	
	1.5	1.5	1.8	2.5	5.0	12.3	★	
	1.5	1.5	1.8	2.5	6.0	13.3	★	
	1.5	1.5	1.8	3.5	3.5	11.8	★	
	1.5	1.5	1.8	3.5	4.2	12.5	★	
	1.5	1.5	1.8	3.5	5.0	13.3	★	
	1.5	1.5	1.8	3.5	6.0	14.3	★	
	1.5	1.5	1.8	4.2	4.2	13.2	★	
	1.5	1.5	1.8	4.2	5.0	14.0	★	

1.5	1.5	1.8	4.2	6.0	15.0	★
1.5	1.5	1.8	5.0	5.0	14.8	★
1.5	1.5	1.8	5.0	6.0	15.8	★
1.5	1.5	2.5	2.5	2.5	10.5	★
1.5	1.5	2.5	2.5	3.5	11.5	★
1.5	1.5	2.5	2.5	4.2	12.2	★
1.5	1.5	2.5	2.5	5.0	13.0	★
1.5	1.5	2.5	2.5	6.0	14.0	★
1.5	1.5	2.5	3.5	3.5	12.5	★
1.5	1.5	2.5	3.5	4.2	13.2	★
1.5	1.5	2.5	3.5	5.0	14.0	★
1.5	1.5	2.5	3.5	6.0	15.0	★
1.5	1.5	2.5	4.2	4.2	13.9	★
1.5	1.5	2.5	4.2	5.0	14.7	★
1.5	1.5	2.5	5.0	5.0	15.5	★
1.5	1.5	2.5	5.0	6.0	16.5	★
1.5	1.5	3.5	3.5	3.5	13.5	★
1.5	1.5	3.5	3.5	4.2	14.2	★
1.5	1.5	3.5	3.5	5.0	15.0	★
1.5	1.5	3.5	3.5	6.0	16.0	★
1.5	1.8	1.8	1.8	1.8	8.7	★
1.5	1.8	1.8	1.8	2.5	9.4	★
1.5	1.8	1.8	1.8	3.5	10.4	★
1.5	1.8	1.8	1.8	4.2	11.1	★
1.5	1.8	1.8	1.8	5.0	11.9	★
1.5	1.8	1.8	1.8	6.0	12.9	★
1.5	1.8	1.8	2.5	2.5	10.1	★
1.5	1.8	1.8	2.5	3.5	11.1	★
1.5	1.8	1.8	2.5	4.2	11.8	★
1.5	1.8	1.8	2.5	5.0	12.6	★
1.5	1.8	1.8	2.5	6.0	13.6	★
1.5	1.8	1.8	3.5	3.5	12.1	★
1.5	1.8	1.8	3.5	4.2	12.8	★
1.5	1.8	1.8	3.5	5.0	13.6	★
1.5	1.8	1.8	3.5	6.0	14.6	★
1.5	1.8	1.8	4.2	4.2	13.5	★
1.5	1.8	1.8	4.2	5.0	14.3	★
1.5	1.8	1.8	4.2	6.0	15.3	★
1.5	1.8	1.8	5.0	5.0	15.1	★
1.5	1.8	1.8	5.0	6.0	16.1	★
1.5	1.8	2.5	2.5	2.5	10.8	★
1.5	1.8	2.5	2.5	3.5	11.8	★
1.5	1.8	2.5	2.5	4.2	12.5	★
1.5	1.8	2.5	2.5	5.0	13.3	★
1.5	1.8	2.5	2.5	6.0	14.3	★
1.5	1.8	2.5	3.5	3.5	12.8	★
1.5	1.8	2.5	3.5	4.2	13.5	★
1.5	1.8	2.5	3.5	5.0	14.3	★
1.5	1.8	2.5	3.5	6.0	15.3	★
1.5	1.8	2.5	4.2	4.2	14.2	★
1.5	1.8	2.5	4.2	5.0	15.0	★
1.5	1.8	2.5	4.2	6.0	16.0	★
1.5	1.8	3.5	3.5	3.5	13.8	★
1.5	1.8	3.5	3.5	4.2	14.5	★

1.5	1.8	3.5	3.5	5.0	15.3	★
1.5	1.8	3.5	4.2	4.2	15.2	★
1.5	2.5	2.5	2.5	2.5	11.5	★
1.5	2.5	2.5	2.5	3.5	12.5	★
1.5	2.5	2.5	2.5	4.2	13.2	★
1.5	2.5	2.5	2.5	5.0	14.0	★
1.5	2.5	2.5	2.5	6.0	15.0	★
1.5	2.5	2.5	3.5	3.5	13.5	★
1.5	2.5	2.5	3.5	4.2	14.2	★
1.5	2.5	2.5	3.5	5.0	15.0	★
1.5	2.5	2.5	3.5	6.0	16.0	★
1.5	2.5	2.5	4.2	4.2	14.9	★
1.5	2.5	2.5	4.2	5.0	15.7	★
1.5	2.5	2.5	5.0	5.0	16.5	★
1.5	2.5	3.5	3.5	3.5	14.5	★
1.5	2.5	3.5	3.5	4.2	15.2	★
1.5	2.5	3.5	3.5	5.0	16.0	★
1.5	2.5	3.5	4.2	4.2	15.9	★
1.8	1.8	1.8	1.8	1.8	9.0	★
1.8	1.8	1.8	1.8	2.5	9.7	★
1.8	1.8	1.8	1.8	3.5	10.7	★
1.8	1.8	1.8	1.8	4.2	11.4	★
1.8	1.8	1.8	1.8	5.0	12.2	★
1.8	1.8	1.8	1.8	6.0	13.2	★
1.8	1.8	1.8	2.5	2.5	10.4	★
1.8	1.8	1.8	2.5	3.5	11.4	★
1.8	1.8	1.8	2.5	4.2	12.1	★
1.8	1.8	1.8	2.5	5.0	12.9	★
1.8	1.8	1.8	2.5	6.0	13.9	★
1.8	1.8	1.8	3.5	3.5	12.4	★
1.8	1.8	1.8	3.5	4.2	13.1	★
1.8	1.8	1.8	3.5	5.0	13.9	★
1.8	1.8	1.8	3.5	6.0	14.9	★
1.8	1.8	1.8	4.2	4.2	13.8	★
1.8	1.8	1.8	4.2	5.0	14.6	★
1.8	1.8	1.8	4.2	6.0	15.6	★
1.8	1.8	1.8	5.0	5.0	15.4	★
1.8	1.8	1.8	5.0	6.0	16.4	★
1.8	1.8	2.5	2.5	2.5	11.1	★
1.8	1.8	2.5	2.5	3.5	12.1	★
1.8	1.8	2.5	2.5	4.2	12.8	★
1.8	1.8	2.5	2.5	5.0	13.6	★
1.8	1.8	2.5	2.5	6.0	14.6	★
1.8	1.8	2.5	3.5	3.5	13.1	★
1.8	1.8	2.5	3.5	4.2	13.8	★
1.8	1.8	2.5	3.5	5.0	14.6	★
1.8	1.8	2.5	4.2	4.2	14.5	★
1.8	1.8	2.5	4.2	5.0	15.3	★
1.8	1.8	2.5	4.2	6.0	16.3	★
1.8	1.8	2.5	5.0	5.0	16.1	★
1.8	1.8	3.5	3.5	3.5	14.1	★
1.8	1.8	3.5	3.5	4.2	14.8	★
1.8	1.8	3.5	3.5	5.0	15.6	★
1.8	1.8	3.5	3.5	6.0	16.6	★
1.8	1.8	3.5	4.2	4.2	15.5	★
1.8	1.8	3.5	4.2	5.0	16.3	★
1.8	2.5	2.5	2.5	2.5	11.8	★
1.8	2.5	2.5	2.5	3.5	12.8	★
1.8	2.5	2.5	2.5	4.2	13.5	★
1.8	2.5	2.5	2.5	5.0	14.3	★
1.8	2.5	2.5	2.5	6.0	15.3	★

1.8	2.5	2.5	3.5	3.5		13.8	★
1.8	2.5	2.5	3.5	4.2		14.5	★
1.8	2.5	2.5	3.5	5.0		15.3	★
1.8	2.5	2.5	3.5	6.0		16.3	★
1.8	2.5	2.5	4.2	4.2		15.2	★
1.8	2.5	2.5	4.2	5.0		16.0	★
1.8	2.5	3.5	3.5	3.5		14.8	★
1.8	2.5	3.5	3.5	4.2		15.5	★
1.8	2.5	3.5	3.5	5.0		16.3	★
1.8	2.5	3.5	4.2	4.2		16.2	★
2.5	2.5	2.5	2.5	2.5		12.5	★
2.5	2.5	2.5	2.5	3.5		13.5	★
2.5	2.5	2.5	2.5	4.2		14.2	★
2.5	2.5	2.5	2.5	5.0		15.0	★
2.5	2.5	2.5	2.5	6.0		16.0	★
2.5	2.5	2.5	3.5	3.5		14.5	★
2.5	2.5	2.5	3.5	4.2		15.2	★
2.5	2.5	3.5	3.5	3.5		15.5	★
2.5	2.5	3.5	3.5	4.2		16.2	★

*At least 2 indoor should be connected to RAM-110NP5E